

## Lesson 8: Linear Equations in Disguise

### Classwork

#### Example 3

Can this equation be solved?

$$\frac{6+x}{7x+\frac{2}{3}} = \frac{3}{8}$$


#### Example 4

Can this equation be solved?

$$\frac{7}{3x+9} = \frac{1}{8}$$

**Example 5**

In the diagram below,  $\triangle ABC \sim \triangle A'B'C'$ . Using what we know about similar triangles, we can determine the value of  $x$ .

**Exercises**

Solve the following equations of rational expressions, if possible.

1.  $\frac{2x + 1}{9} = \frac{1 - x}{6}$

$$2. \frac{5 + 2x}{3x - 1} = \frac{6}{7}$$

$$3. \frac{x + 9}{12} = \frac{-2x - \frac{1}{2}}{3}$$

$$4. \frac{8}{3 - 4x} = \frac{5}{2x + \frac{1}{4}}$$

**Lesson Summary**

Some proportions are linear equations in disguise and are solved the same way we normally solve proportions.

When multiplying a fraction with more than one term in the numerator and/or denominator by a number, put the expressions with more than one term in parentheses so that you remember to use the distributive property when transforming the equation. For example:

$$\frac{x + 4}{2x - 5} = \frac{3}{5}$$

$$5(x + 4) = 3(2x - 5).$$

The equation  $5(x + 4) = 3(2x - 5)$  is now clearly a linear equation and can be solved using the properties of equality.

**Problem Set**

Solve the following equations of rational expressions, if possible. If an equation cannot be solved, explain why.

1.  $\frac{5}{6x - 2} = \frac{-1}{x + 1}$

6.  $\frac{2x + 5}{2} = \frac{3x - 2}{6}$

2.  $\frac{4 - x}{8} = \frac{7x - 1}{3}$

7.  $\frac{6x + 1}{3} = \frac{9 - x}{7}$

3.  $\frac{3x}{x + 2} = \frac{5}{9}$

8.  $\frac{\frac{1}{3}x - 8}{12} = \frac{-2 - x}{15}$

4.  $\frac{\frac{1}{2}x + 6}{3} = \frac{x - 3}{2}$

9.  $\frac{3 - x}{1 - x} = \frac{3}{2}$

5.  $\frac{7 - 2x}{6} = \frac{x - 5}{1}$

10. In the diagram below,  $\triangle ABC \sim \triangle A'B'C'$ . Determine the lengths of  $\overline{AC}$  and  $\overline{BC}$ .

